



14" DELUXE PRO BANDSAW

The all-new (patented) JWBS-14DXPRO 14" Bandsaw from JET® has been completely redesigned from top to bottom to meet the needs of today's most demanding woodworkers. Gone are the days of adding a riser block; this 14" bandsaw comes with a newly redesigned massive upper and lower cast iron frame specifically designed to handle much higher blade tensioning with virtually no frame deflection. The rigidity of the newly redesigned frame allows for even the toughest re-sawing jobs up to 12". Couple this incredible feature with a new high tension spring design, rack-in-pinion blade guide post, and storage in the stand and you have a bandsaw that can handle any job. Put a new Jet 14" Deluxe Pro Bandsaw in your shop and you'll know that Jet tools are "Built Better to Build Better".



jettools.com



Upper and lower ball bearing guides reduce friction for longer blade life



New high tension spring design allows for greater blade tensioning
Quick release blade tension for convenience



New enclosed stand with storage shelf and easy access door

14" DELUXE PRO BANDSAW

- Built-in 12" resaw capacity for cutting larger pieces of wood
- 2 Speed poly-v belt drive system
- Newly designed upper and lower cast iron frame for increased strength and rigidity
- Easy to view blade tracking window
- Blade guide post with rack and pinion adjustment
- Upper and lower ball bearing guides reduce friction for longer blade life
- Quick release blade tension for convenience
- New enclosed stand with storage shelf and easy access door
- Built-in retractable blade guard moves up and down from 0-12" resaw
- New high tension spring design allows for greater blade tensioning

SPECIFICATIONS

Stock Number	710116K
Model	JWBS14DXPRO
Net Weight (lbs.)	243
Gross Weight: (lbs.)	256
Cutting Capacity (W/in.):	13-1/2
Cutting Capacity (H/in.):	12
Minimum Saw Blade (W/in.):	1/8
Maximum Saw Blade (W/in.):	3/4
Blade Speed (SFPM):	1500/3000
Blade Length (in.):	105
Table Dimension (LxW/in.):	15 x 15
Table Tilt (deg.):	45R, 10L
Table Height From Floor (in.):	43-1/2
Dust Port Diameter (OD/in.):	4
Dust Collection Minimum CFM:	300
Stand Type:	closed
Wheel Diameter (in.):	14
Motor HP:	1-1/4
Motor Phase:	1
Motor Voltage:	115/230
Prewired:	115



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>