



## **802.11n/MIMO Antenna Relocation Stand**

# **Quick Installation Guide (Q.I.G.)**

Version 1.0 / November 2006

# Multi-Language QIG on the CD

---

---

**Český:** Českého průvodce rychlou instalací naleznete na přiloženém CD s ovladači

**Deutsch:** Finden Sie bitte das deutsche S.A.L. beiliegend in der Treiber CD

**Español:** Incluido en el CD el G.R.I. en Español.

**Français:** Veuillez trouver l'français G.I.R ci-joint dans le CD

**Italiano:** Incluso nel CD il Q.I.G. in Italiano.

**Magyar:** A magyar telepítési útmutató megtalálható a mellékelt CD-n

**Nederlands:** De nederlandse Q.I.G. treft u aan op de bijgesloten CD

**Polski:** Skrócona instrukcja instalacji w języku polskim znajduje się na załączonej płycie CD

**Português:** Incluído no CD o G.I.R. em Portugues

**Русский:** Найдите Q.I.G. на русском языке на приложенном CD



Copyright© by Edimax Technology Co, LTD. all rights reserved. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language or computer language, in any form or by any means, electronic, mechanical, magnetic, optical, chemical, manual or otherwise, without the prior written permission of this company

This company makes no representations or warranties, either expressed or implied, with respect to the contents hereof and specifically disclaims any warranties, merchantability or fitness for any particular purpose. Any software described in this manual is sold or licensed "as is". Should the programs prove defective following their purchase, the buyer (and not this company, its distributor, or its dealer) assumes the entire cost of all necessary servicing, repair, and any incidental or consequential damages resulting from any defect in the software. Further, this company reserves the right to revise this publication and to make changes from time to time in the contents hereof without obligation to notify any person of such revision or changes.

The product you have purchased and the setup screen may appear slightly different from those shown in this QIG. The software and specifications subject to change without notice. Please visit our web site [www.edimax.com.tw](http://www.edimax.com.tw) for the update. All right reserved including all brand and product names mentioned in this manual are trademarks and/or registered trademarks of their respective holders.



***Please read this notice before using the product***

Thank you for purchasing this product. Before using it, please do read this application notice to install this product in the most correct way.

The following illustrations can help you to use this 802.11n/MIMO antenna relocation stand with the proper antennas.




***Notice:***

The antennas ~~are~~ used for this MIMO antenna relocation stand may be bundled with specific models. Otherwise, you might use the antennas from your MIMO devices, such as MIMO Access Point, MIMO Router or MIMO PCI card.



**MIMO AP/ Router**



**MIMO PCI Card**


## ***Start Installing your 802.11n/MIMO Antenna Relocation Stand***

Model: **EA-MARS**

The antennas are not enclosed in the package.

In this case, you have to purchase proper antenna models (Please contact with Edimax local distributors for more information.) or use the antennas from your 802.11n/MIMO devices.

For example, If EA-MARS is going to be used with your 802.11n/MIMO AP/ Router, the connection would be:




### **Notice:**

Please make sure that the antennas of your 802.11n/MIMO devices (Such as AP/ Router, PCI card) can be manually detached (unscrewed) from the devices.

## ***Assemble the antennas to EA-MARS***


### **Step 1.**

Unscrew the antennas counterclockwise from the devices (see below)



### **Step 2.**

Screw the antennas clockwise onto the outer connectors of EA-MARS until they are firmly attached.





For PCI adapter



For Router / AP

### ***Where can you locate the stand?***

There are several positions

1. Desktop mount
2. Partition or metal surface mount
3. Ceiling mounts (without any tools)
4. Wall mounts with screws


#### **1. Desktop stand**

EA-MARS can help you to relocate your antennas to a better and optimal position to receive and transmit signals.



## 2. Office partition or metal surface installation

EA-MARS is embedded with strong magnets to stick EA-MARS to the metal walls or cabinets without extra tools or accessories.




### **Warning:**

EA-MARS has 2 magnetic please keeps it away at least 6 inches from you PC in order not to crash the data or to make other devices failed.




## Step 1.

Please note there are 2 plastic fasteners on the bottom of the base. Push the fasteners downward with your forefingers and disassemble the bottom cover from the stand like the direction shown in the illustration




Use forefinger to loose both the hooks and push UPWARDS with both your thumbs




Push upwards hardly until a opening click sound is heard


## Step 2.

Remove the bottom cover after both fasteners are released by hands and turn the cover around. Re-assemble the cover by clicking the cover back to position.




You can see 2 plastic hooks. These hooks could help you flexible grabs onto the steel frames of your ceiling (see the diagrams below).





#### 4. Wall installations (With screws and tools)


You need to use tools to complete this installation




The distance between screw holes is about 6cm, try to measure and match this range before fix your screws on the wall.

## Screws installations


Lock the screw tightly and keep some margin spaces left (about 3 to 5mm) like the diagram below.



Therefore EA-MARS can be hanged onto the wall with both screws.




The antennas on the right and left side are for signal reception and should be set perpendicular (90 degrees) to each other. The central one is for signal transmission and should be pulled up about 45 degree. Please see the illustration below.



### About antenna angle adjustment

Please position place the antenna vertically to the horizontal surface (ceiling or floor), since the omni-directional antennas best signal coverage is 360°. Do not put the antenna perpendicular to the wall.





### **Warning:**

For better performance, both base stations and clients are recommended to use EA-MARS with antennas. It should be no obstacles between the transmission areas. The performance estimation is based on typical usage. The range is varied with different site conditions.

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>