



MACHINE DATA SHEET

Customer Service #: (570) 546-9663 · To Order Call: (800) 523-4777 · Fax #: (800) 438-5901

MODEL G0513 17" BANDSAW - 2 HP

Product Dimensions:

Weight..... 266 lbs.
Length/Width/Height..... 32 x 32 x 73 in.
Foot Print (Length/Width)..... 27 x 17-3/4 in.

Shipping Dimensions:

Type..... Wood Slat Crate
Content..... Machine
Weight..... 342 lbs.
Length/Width/Height..... 20 x 30 x 81 in.

Electrical:

Switch..... On/Off Push Button
Switch Voltage..... 110/220V
Cord Length..... 6 ft.
Cord Gauge..... 14 gauge
Recommended Breaker Size..... 20 amps at 110V, 10 amps at 220V
Plug..... No

Motors:

Main

Type..... TEFC Capacitor Start Induction
Horsepower..... 2 HP
Voltage..... 110/220V
Prewired..... 220V
Phase..... Single
Amps..... 20/10A
Speed..... 1725 RPM
Cycle..... 60 Hz
Number Of Speeds..... 1
Power Transfer Belt Drive
Bearings..... Shielded and Permanently Lubricated

Main Specifications:

Operation

Blade Speeds..... 1700, 3500 FPM
Table Tilt..... Left 10, Right 45 deg.

Cutting Capacities

Height Capacity At Blade..... 12-1/8 in.
Overall Height Capacity..... 12 in.
Throat Capacity Left of Blade..... 16-1/4 in.

Blade Information

Standard Blade Length..... 131-1/2 in.
Blade Width Range..... 1/8 - 1 in.
Upper Blade Guides..... Roller Disc/Ball Bearing
Lower Blade Guides..... Roller Disc/Ball Bearing

Table Information

Table Length.....	17 in.
Table Width.....	17 in.
Table Thickness.....	1-1/2 in.
Floor to Table Height.....	37-1/2 in.

Fence Information

Locks in Front.....	Yes
Locks in Rear.....	No
Adjustable for Blade Lead.....	Yes

Construction

Table Construction.....	Precision Ground Cast Iron
Rip Fence	Deluxe Extruded Aluminum
Base Construction.....	Formed Steel
Body Construction.....	Formed Steel
Upper Wheel.....	Computer Balanced Cast Aluminum
Lower Wheel.....	Computer Balanced Cast Aluminum
Tire Material.....	Polyurethane
Wheel Cover	Pre-Formed Steel
Paint.....	Epoxy

Other Related Information

Wheel Diameter.....	16-3/4 in.
Wheel Width.....	1-1/4 in.
Number of Dust Ports.....	2
Dust Port Size.....	4 in.
Mobile Base.....	G7314

Other Specifications:

ISO Factory	ISO 9001
Country Of Origin	Taiwan
Warranty	1 Year
Serial Number Location	Label on Top Cover
Awards	Wood Magazine Top Value 2005
Assembly Time	30 minutes

Features:

- European Style Roller Disc Blade Guides with Full Enclosure Protection and Ball Bearing Design
- Quick Change Blade Release/Tensioner
- Magnifying Window Over Fence Scale
- Micro Adjusting Geared Table
- Height Scale Measurement
- Blade Tracking Window
- 2 4" Dust Ports
- Hinged Wheel Covers

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>