



# MACHINE DATA SHEET

Customer Service #: (570) 546-9663 • To Order Call: (800) 523-4777 • Fax #: (800) 438-5901

## MODEL G0514X2 19" BANDSAW w/CAST IRON TRUNNIONS

### Product Dimensions:

Weight ..... 383 lbs.  
Length/Width/Height ..... 36" x 32" x 76"  
Foot Print (Length/Width)..... 29½" x 17¾"

### Shipping Dimensions:

Type ..... Wood Slat Crate  
Content..... Machine  
Weight..... 460 lbs.  
Length/Width/Height..... 21" x 33" x 85"

### Electrical:

Switch..... Magnetic with Thermal Overload Protection  
Switch Voltage ..... 220V  
Cord Length ..... 6 ft.  
Cord Gauge ..... 14 gauge  
Recommended Breaker Size..... 20 amps  
Recommended Plug Type ..... L6-20  
Plug Included ..... No

### Motor:

Type ..... TEFC Capacitor Start Induction  
Horsepower..... 3 HP  
Voltage ..... 220V  
Phase ..... Single  
Amps ..... 16A  
Speed..... 1725 RPM  
Cycle ..... 60 Hz  
Number Of Speeds ..... 1  
Power Transfer ..... Belt Drive  
Bearings..... Shielded and Permanently Lubricated

### Main Specifications:

#### Operation Information

Blade Speed ..... 1700, 3500 FPM  
Table Tilt..... Left 5°, Right 45°

#### Cutting Capacities

Maximum Cutting Height ..... 12"  
Throat Capacity Left of Blade..... 18¼"

#### Blade Information

Standard Blade Length..... 143"  
Blade Width Range ..... ⅛"-1¼"  
Blade Guides..... Ball Bearing

**Table Information**

Table Length .....	26 <sup>3</sup> / <sub>4</sub> "
Table Width .....	19"
Table Thickness .....	1 <sup>1</sup> / <sub>2</sub> "
Floor to Table Height.....	37 <sup>1</sup> / <sub>2</sub> "

**Fence Information**

Locks in Front.....	Yes
Locks in Rear .....	No
Adjustable for Blade Lead.....	Yes
Resaw Fence Plate Height.....	6"

**Dust Collection**

Number of Dust Ports.....	2
Size of Dust Ports .....	4"
Required CFM at Each Dust Port .....	400 CFM

**Construction Materials**

Table.....	Precision Ground Cast Iron
Table Trunnions .....	Cast Iron
Rip Fence .....	Cast Iron
Resaw Fence .....	Deluxe Extruded Aluminum
Wheels.....	Computer Balanced Cast Iron
Tire Material .....	Rubber
Wheel Cover.....	Pre-Formed Steel
Body .....	One Piece Reinforced Steel
Paint .....	Powder Coated

**Other Specifications:**

Country Of Origin.....	Taiwan
Warranty.....	1 Year
Serial Number Location .....	ID Label on Upper Wheel Cover
Assembly & Setup Time .....	1 Hour

**Features:**

- Cast Iron Table Trunnions
- Ball Bearing Blade Guides
- Quick Change Blade Release/Tensioner
- Micro-Adjusting Rack & Pinion Table Tilt
- Rack & Pinion Upper Blade Guide Height Adjustment
- Computer Balanced Cast Iron Wheels
- Blade Tension Indicator
- Magnifying Window over Fence Scale
- Height Scale for Upper Blade Guides
- Blade Tracking Window
- Hinged Wheel Covers
- Deluxe Cast Iron Fence with Extruded Aluminum Resaw Fence Attachment
- Included Miter Gauge
- Included <sup>3</sup>/<sub>4</sub>" Blade
- Two 4" Dust Ports

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>